

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

[123]

XVI. An Account of an iliac Passion, from a Palsy of the large Intestines; communicated to Dr. De Castro, F. R. S. Translated from the Latin, by Tho. Stack M.D. F. R. S.

MERCHANT, aged feventy, who had been accustomed to hardships from his infancy, was, for the last six years, very subject to rheumatic pains; but, looking on his disorder as the effect of old age, he rejected all medical advice. In these circumstances it happened, that he was suddenly set upon by a party of soldiers, who, with severe threatnings, turned him out of his house, and took possession of it: which so terrified him, that he was seized with a violent belly-ach; and his agony so overpower'd him, that he fell on the ground half-dead; and at the same time he voided blood by the anus.

When his fright and grief for the loss of his subflance were over, he return'd to his usual way of
life, and was much subject to the gripes all the ensuing winter, which he took no care of. During
this time, he suffer'd much from costiveness, till
March 1747, when he was seized with severe pains
about the navel; and tho' he had clysters of several
forts given him, not one of them could be made
to pass. He was severish and thirsty, with a white
moist tongue, and could not sleep. He was blooded
as much as he could well bear; and the blood did
not appear inflammatory. He was treated with laxative medicines, antiphlogistic somentations, and every

[124]

thing, that could be thought proper, to ease the gripeings, and give a free passage: but nothing took effect for seven days together.

On the eighth he began to break wind, retain the clysters, discharge some little faces, and to sleep, tho' not quietly; and, on the ninth, to make turbid urine. But these promising appearances were but of short duration; for, on the eleventh, his belly was so bloated, that he seem'd tympanitic; and an acute pain, which he had in the hypogastric region, darted up towards the midriff on the right side: and now the mucus of the intestines came away with the clysters. He had bad sweats, and made foul urine, without sediment.

On the 15th a confultation was held; and, as his thirst and sever were abated, and the medicines hitherto prescribed for opening a passage, and taking down the swelling of the belly, which seemed ready to burst, had proved inessectual, it was agreed to make him swallow six ounces of crude quicksilver, with oil of sweet almonds, and syrup of violets; and, soon

after, to throw in feveral purging clyfters.

In nine hours a passage was opened, and he voided much black liquid excrement, without the least grain of quicksilver, tho' very carefully sought for. A little after that, he vomited much; and, in what he threw up, there plainly appear'd excrements, and globules of mercury. This was soon follow'd by thirst, a little slow sever, very troublesome gripings, no sleep, red high-colour'd thick urine, in very small quantities, breaking of wind without any ease, vomiting of every thing he took, great weakness, and par-

[125]

tial sweats in the forehead and breast. Under these symptoms he languish'd to the twentieth day, and then died.

The appearances, upon diffection, were these: The omentum was confumed; but the colon was inflamed in feveral places, and fo distended with wind, that it nearly filled the whole abdominal cavity. Its ligaments or bands were fo thoroughly effaced, that there was not the least fign of them remaining. In like manner, the cæcum was so vastly stretched, as to take up the whole capacity of the pelvis; and that part of it, which is touched by the thick gut, was gangrened, and perforated with a small opening. Having clear'd it of the excrements, there were no internal ruge at the infertion of the ileum, nor any traces of the valve of the colon, or of its braces, to be obferved. For it was quite fmooth on the infide, as well as the colon, by the destruction of the cellules. which it has in a natural state. The quickfilver was dispersed all over the cavity of the abdomen, in such quantities, that it was easy to perceive, that none had been discharged by stool. Every thing else, contained within both the cavities, was in its natural condition.